



# Skinz Collection DESIGN GUIDE

## TABLE OF CONTENTS

- PRODUCT DESCRIPTION
- FEATURES AND BENEFITS
- SPECIFICATIONS
- STANDARD COLORS
- SAMPLING
- STOCK AND AVAILABILITY
- DESIGN CONSIDERATIONS
- HANDLING, CARE, AND WORKING WITH METAL
- CLEANING AND MAINTENANCE

## PRODUCT DESCRIPTION

The Skinz Collection by Móz is an innovative line of metals laminated with architectural grade vinyl films to resemble natural materials including decorative metals, luxurious woods, sophisticated stones, and abstract designs.

## FEATURES AND BENEFITS

- 6 standard designs with more options available upon request
- Suitable for interior applications only
- Cost effective alternative for decorative feature elements
- Durable and easy to clean vinyl finishes on metal
- Easy to specify as a sheet material for laminate use or as a finish of choice on our column and wall solutions

## SPECIFICATIONS

Material 8mil vinyl applied to solid core Aluminum ASTM B209 .040" weighing roughly .60 lbs/ft<sup>2</sup>  
Custom thickness up to .125"  
Also available on corrugated metal made from .040" aluminum.  
Not available on perforated, laser cut, or engraved metals.

Panel Sizes 47" x 96" and 47" x 120" (max panel width is 47")  
Panel squareness is subject to a 3/16" tolerance.

Standard corrugated sizes are 44-1/4" x 96" and 44-1/4" x 120" sizes  
Panel width is subject to a 1/4" tolerance

## STANDARD COLORS

Available 6 standard designs suitable for interior applications. Visit our [website](#) for more information.



***Charwood***



***Wenge Wood***



***Glacier***



***Aged Bronze***



***Aged Gold***



***LunaGold***

Additional designs available upon request; minimums apply.

## SAMPLING

Samples are made from .040" aluminum in 3.5" x 5" size. If you would like to request samples, please visit our [Sample Request Form](#) online.

## STOCK AND AVAILABILITY

Our products are made to order and take approximately 3-4 weeks to manufacture sheets and longer to manufacture pre-built solutions such as column and wall products. Larger and more complex orders may take longer. For your convenience, we offer a short list of materials from overruns that are discounted and available to ship in just a few days through our [Quickship](#) site.

## DESIGN CONSIDERATIONS

### Seaming Considerations

Directional patterns always run the length of the panel and will not bookmatch so careful consideration should be given to seaming when patterns run from one panel to the next. Consider using reveals or joint separations. Directional patterns include: Charwood, LunaGold, Glacier, and Wenge Wood.

### Formability

Skinz Metals can be formed by our factory to produce Column Cover and Wall Panel Solutions ready to install in the field. We do not recommend post-forming of our product by others. It's best to form edges parallel to the grain direction. Forming perpendicular to directional grains can result in material failure. Please consult our team regarding any fabrication needs so our experts can assist you.

### Trims and framing

Trims for corners and seams can be provided in a complementary color upon request to complete your installation. View our [Trims and Framing PDF](#) online for more information.

## HANDLING, CARE, AND WORKING WITH METAL

Complete instructions on how to work with Móz Metals can be found online in our [Móz Metal Sheets Technical Information](#). Unlike our other painted/coated metal, Skinz Metals do not come with a protective masking during transit.

## CLEANING AND MAINTENANCE

### Regular cleaning

Regular cleaning will help maintain the appearance of the finish. Use mild detergent and water, and a soft cloth or sponge without abrasives. For difficult stains, spot clean with a diluted Isopropyl Alcohol solution and a soft cloth. Avoid using strong solvents or detergents that are either highly alkaline (pH>11) or acidic (pH<3). Do not use ammonia, chlorine, or strong organic based cleaning products, polishing or cleaning compound, hard-bristle brushes or electric polishing equipment. Use only clean, nickfree tools and wipe gently.

### Cleaners and Disinfectants

For disinfection you may also use a disinfectant spray such as Lysol® as well as other common disinfectants such as Clorox Bleach (50% bleach/50% water), Formula 409, Simply Green or a mixture of 60% alcohol 40% water solution. Contact us for a complete list of Cleaners & Disinfectants tested.

### Stain Resistance

Most stains can be removed using water or mild detergent. Dilute Isopropyl alcohol may be used for more difficult stains. Results may vary.

## GENERAL WARRANTY

Moz Skinz Metals are suitable for interior vertical placement in commercial buildings. Some surface irregularities as well as color and pattern variations will appear. We recommend that you inspect the material before cutting or mounting. If any material proves to be defective, Móz Designs will be liable for the cost of that material only. In order to prove material defective a sample must be provided to Móz Designs for review. No other warranty is expressed or implied.